




Hi-P水路(オープン)



側壁部

底板部




呼び名	寸法 (mm)								参考重量
H×B	H	B	a	b	d	e	f	t	(kg)
600×600	600	600	740	552	100	94	100	100	910
600×700	600	700	840	652	100	94	100	100	950
600×800	600	800	940	752	100	94	100	100	1000
600×900	600	900	1040	852	100	94	100	100	1050
600×1000	600	1000	1140	952	100	94	100	100	1100
600×1100	600	1100	1240	1052	100	94	100	100	1140
600×1200	600	1200	1340	1152	100	94	100	100	1190
600×1300	600	1300	1440	1252	100	94	100	100	1240
600×1400	600	1400	1540	1352	100	94	100	100	1290
600×1500	600	1500	1640	1452	100	94	100	100	1340
600×1600	600	1600	1740	1552	100	94	100	100	1380
600×1700	600	1700	1840	1652	100	94	100	100	1430
600×1800	600	1800	1940	1752	100	94	100	100	1480
600×1900	600	1900	2040	1852	100	94	100	100	1530
600×2000	600	2000	2140	1952	100	94	100	100	1580
700×600	700	600	740	544	100	98	100	100	1000
700×700	700	700	840	644	100	98	100	100	1050
700×800	700	800	940	744	100	98	100	100	1090
700×900	700	900	1040	844	100	98	100	100	1140
700×1000	700	1000	1140	944	100	98	100	100	1190
700×1100	700	1100	1240	1044	100	98	100	100	1240
700×1200	700	1200	1340	1144	100	98	100	100	1280
700×1300	700	1300	1440	1244	100	98	100	100	1330

呼び名	寸法 (mm)								参考重量 (kg)
	H×B	H	B	a	b	d	e	f	
700×1400	700	1400	1540	1344	100	98	100	100	1380
700×1500	700	1500	1640	1444	100	98	100	100	1430
700×1600	700	1600	1740	1544	100	98	100	100	1480
700×1700	700	1700	1840	1644	100	98	100	100	1520
700×1800	700	1800	1940	1744	100	98	100	100	1570
700×1900	700	1900	2040	1844	100	98	100	100	1620
700×2000	700	2000	2140	1944	100	98	100	100	1670
800×600	800	600	740	536	100	102	110	100	1130
800×700	800	700	840	636	100	102	110	100	1180
800×800	800	800	940	736	100	102	110	100	1230
800×900	800	900	1040	836	100	102	110	100	1290
800×1000	800	1000	1140	936	100	102	110	100	1340
800×1100	800	1100	1240	1036	100	102	110	100	1390
800×1200	800	1200	1340	1136	100	102	110	100	1440
800×1300	800	1300	1440	1236	100	102	110	100	1500
800×1400	800	1400	1540	1336	100	102	110	100	1550
800×1500	800	1500	1640	1436	100	102	110	100	1600
800×1600	800	1600	1740	1536	100	102	110	100	1660
800×1700	800	1700	1840	1636	100	102	110	100	1710
800×1800	800	1800	1940	1736	100	102	110	100	1760
800×1900	800	1900	2040	1836	100	102	110	100	1810
800×2000	800	2000	2140	1936	100	102	110	100	1870
900×600	900	600	740	528	100	106	110	100	1230
900×700	900	700	840	628	100	106	110	100	1280
900×800	900	800	940	728	100	106	110	100	1330
900×900	900	900	1040	828	100	106	110	100	1390
900×1000	900	1000	1140	928	100	106	110	100	1430
900×1100	900	1100	1240	1028	100	106	110	100	1490
900×1200	900	1200	1340	1128	100	106	110	100	1540
900×1300	900	1300	1440	1228	100	106	110	100	1600
900×1400	900	1400	1540	1328	100	106	110	100	1650
900×1500	900	1500	1640	1428	100	106	110	100	1700
900×1600	900	1600	1740	1528	100	106	110	100	1750
900×1700	900	1700	1840	1628	100	106	110	100	1810
900×1800	900	1800	1940	1728	100	106	110	100	1860
900×1900	900	1900	2040	1828	100	106	110	100	1910
900×2000	900	2000	2140	1928	100	106	110	100	1970
900×2100	900	2100	2240	2028	100	106	110	100	2020
900×2200	900	2200	2340	2128	100	106	110	100	2070
900×2300	900	2300	2440	2228	100	106	110	100	2130
900×2400	900	2400	2540	2328	100	106	110	100	2180
900×2500	900	2500	2640	2428	100	106	110	100	2230
1000×800	1000	800	940	720	100	110	130	100	1530
1000×900	1000	900	1040	820	100	110	130	100	1590
1000×1000	1000	1000	1140	920	100	110	130	100	1650
1000×1100	1000	1100	1240	1020	100	110	130	100	1710
1000×1200	1000	1200	1340	1120	100	110	130	100	1780
1000×1300	1000	1300	1440	1220	100	110	130	100	1840
1000×1400	1000	1400	1540	1320	100	110	130	100	1900
1000×1500	1000	1500	1640	1420	100	110	130	100	1960
1000×1600	1000	1600	1740	1520	100	110	130	100	2030
1000×1700	1000	1700	1840	1620	100	110	130	100	2090
1000×1800	1000	1800	1940	1720	100	110	130	100	2150
1000×1900	1000	1900	2040	1820	100	110	130	100	2210



呼び名	寸法 (mm)								参考重量 (kg)
	H×B	H	B	a	b	d	e	f	
1000×2000	1000	2000	2140	1920	100	110	130	100	2270
1000×2100	1000	2100	2240	2020	100	110	130	100	2340
1000×2200	1000	2200	2340	2120	100	110	130	100	2400
1000×2300	1000	2300	2440	2220	100	110	130	100	2460
1000×2400	1000	2400	2540	2320	100	110	130	100	2530
1000×2500	1000	2500	2640	2420	100	110	130	100	2590
1200×800	1200	800	940	704	120	118	130	100	1780
1200×900	1200	900	1040	804	120	118	130	100	1840
1200×1000	1200	1000	1140	904	120	118	130	100	1900
1200×1100	1200	1100	1240	1004	120	118	130	100	1970
1200×1200	1200	1200	1340	1104	120	118	130	100	2030
1200×1300	1200	1300	1440	1204	120	118	130	100	2090
1200×1400	1200	1400	1540	1304	120	118	130	100	2150
1200×1500	1200	1500	1640	1404	120	118	130	100	2210
1200×1600	1200	1600	1740	1504	120	118	130	100	2280
1200×1700	1200	1700	1840	1604	120	118	130	100	2340
1200×1800	1200	1800	1940	1704	120	118	130	100	2400
1200×1900	1200	1900	2040	1804	120	118	130	100	2460
1200×2000	1200	2000	2140	1904	120	118	130	100	2530
1200×2100	1200	2100	2240	2004	120	118	130	100	2590
1200×2200	1200	2200	2340	2104	120	118	130	100	2650
1200×2300	1200	2300	2440	2204	120	118	130	100	2720
1200×2400	1200	2400	2540	2304	120	118	130	100	2780
1200×2500	1200	2500	2640	2404	120	118	130	100	2840
1200×2600	1200	2600	2740	2504	120	118	130	100	2900
1200×2700	1200	2700	2840	2604	120	118	130	100	2960
1200×2800	1200	2800	2940	2704	120	118	130	100	3030
1200×2900	1200	2900	3040	2804	120	118	130	100	3090
1200×3000	1200	3000	3140	2904	120	118	130	100	3150
1500×800	1500	800	940	680	120	130	150	100	2230
1500×900	1500	900	1040	780	120	130	150	100	2300
1500×1000	1500	1000	1140	880	120	130	150	100	2370
1500×1100	1500	1100	1240	980	120	130	150	100	2440
1500×1200	1500	1200	1340	1080	120	130	150	100	2510
1500×1300	1500	1300	1440	1180	120	130	150	100	2580
1500×1400	1500	1400	1540	1280	120	130	150	100	2660
1500×1500	1500	1500	1640	1380	120	130	150	100	2730
1500×1600	1500	1600	1740	1480	120	130	150	100	2800
1500×1700	1500	1700	1840	1580	120	130	150	100	2870
1500×1800	1500	1800	1940	1680	120	130	150	100	2940
1500×1900	1500	1900	2040	1780	120	130	150	100	3020
1500×2000	1500	2000	2140	1880	120	130	150	100	3090
1500×2100	1500	2100	2240	1980	120	130	150	100	3160
1500×2200	1500	2200	2340	2080	120	130	150	100	3230
1500×2300	1500	2300	2440	2180	120	130	150	100	3310
1500×2400	1500	2400	2540	2280	120	130	150	100	3380
1500×2500	1500	2500	2640	2380	120	130	150	100	3450
1500×2600	1500	2600	2740	2480	120	130	150	100	3520
1500×2700	1500	2700	2840	2580	120	130	150	100	3590
1500×2800	1500	2800	2940	2680	120	130	150	100	3670
1500×2900	1500	2900	3040	2780	120	130	150	100	3740
1500×3000	1500	3000	3140	2880	120	130	150	100	3810

Hi-P水路 落蓋式



側壁部

底板部



A : 総高 W : 総幅

呼び名 H×B	寸法(mm)						A	W	参考重量 (kg)
	H	B	a	b	e	f			
600×600	600	600	800	552	124	130	860	900	1322
600×700	600	700	900	652	124	130	860	1000	1384
600×800	600	800	1000	752	124	130	860	1100	1446
600×900	600	900	1100	852	124	130	860	1200	1508
600×1000	600	1000	1200	952	124	130	860	1300	1571
600×1100	600	1100	1300	1052	124	130	860	1400	1633
600×1200	600	1200	1400	1152	124	130	860	1500	1695
600×1300	600	1300	1500	1252	124	130	860	1600	1757
600×1400	600	1400	1600	1352	124	130	860	1700	1820
600×1500	600	1500	1700	1452	124	130	860	1800	1882
600×1600	600	1600	1800	1552	124	130	860	1900	1944
600×1700	600	1700	1900	1652	124	130	860	2000	2007
600×1800	600	1800	2000	1752	124	130	860	2100	2069
600×1900	600	1900	2100	1852	124	130	860	2200	2131
600×2000	600	2000	2200	1952	124	130	860	2300	2193

A : 総高 W : 総幅

呼び名 H×B	寸法(mm)								参考重量 (kg)
	H	B	a	b	e	f	A	W	
700×600	700	600	800	544	128	130	960	900	1442
700×700	700	700	900	644	128	130	960	1000	1505
700×800	700	800	1000	744	128	130	960	1100	1567
700×900	700	900	1100	844	128	130	960	1200	1629
700×1000	700	1000	1200	944	128	130	960	1300	1691
700×1100	700	1100	1300	1044	128	130	960	1400	1754
700×1200	700	1200	1400	1144	128	130	960	1500	1816
700×1300	700	1300	1500	1244	128	130	960	1600	1878
700×1400	700	1400	1600	1344	128	130	960	1700	1941
700×1500	700	1500	1700	1444	128	130	960	1800	2003
700×1600	700	1600	1800	1544	128	130	960	1900	2065
700×1700	700	1700	1900	1644	128	130	960	2000	2127
700×1800	700	1800	2000	1744	128	130	960	2100	2190
700×1900	700	1900	2100	1844	128	130	960	2200	2252
700×2000	700	2000	2200	1944	128	130	960	2300	2314
800×600	800	600	800	536	132	130	1060	900	1567
800×700	800	700	900	636	132	130	1060	1000	1630
800×800	800	800	1000	736	132	130	1060	1100	1692
800×900	800	900	1100	836	132	130	1060	1200	1754
800×1000	800	1000	1200	936	132	130	1060	1300	1817
800×1100	800	1100	1300	1036	132	130	1060	1400	1879
800×1200	800	1200	1400	1136	132	130	1060	1500	1941
800×1300	800	1300	1500	1236	132	130	1060	1600	2003
800×1400	800	1400	1600	1336	132	130	1060	1700	2066
800×1500	800	1500	1700	1436	132	130	1060	1800	2128
800×1600	800	1600	1800	1536	132	130	1060	1900	2190
800×1700	800	1700	1900	1636	132	130	1060	2000	2252
800×1800	800	1800	2000	1736	132	130	1060	2100	2315
800×1900	800	1900	2100	1836	132	130	1060	2200	2377
800×2000	800	2000	2200	1936	132	130	1060	2300	2439
900×600	900	600	800	528	136	150	1180	900	1846
900×700	900	700	900	628	136	150	1180	1000	1921
900×800	900	800	1000	728	136	150	1180	1100	1996
900×900	900	900	1100	828	136	150	1180	1200	2071
900×1000	900	1000	1200	928	136	150	1180	1300	2146
900×1100	900	1100	1300	1028	136	150	1180	1400	2221
900×1200	900	1200	1400	1128	136	150	1180	1500	2295
900×1300	900	1300	1500	1228	136	150	1180	1600	2370
900×1400	900	1400	1600	1328	136	150	1180	1700	2445
900×1500	900	1500	1700	1428	136	150	1180	1800	2520
900×1600	900	1600	1800	1528	136	150	1180	1900	2595
900×1700	900	1700	1900	1628	136	150	1180	2000	2670
900×1800	900	1800	2000	1728	136	150	1180	2100	2745
900×1900	900	1900	2100	1828	136	150	1180	2200	2820
900×2000	900	2000	2200	1928	136	150	1180	2300	2894
1000×800	1000	800	1000	720	140	150	1280	1100	2048
1000×900	1000	900	1100	820	140	150	1280	1200	2120
1000×1000	1000	1000	1200	920	140	150	1280	1300	2192
1000×1100	1000	1100	1300	1020	140	150	1280	1400	2264
1000×1200	1000	1200	1400	1120	140	150	1280	1500	2336
1000×1300	1000	1300	1500	1220	140	150	1280	1600	2408
1000×1400	1000	1400	1600	1320	140	150	1280	1700	2480
1000×1500	1000	1500	1700	1420	140	150	1280	1800	2552
1000×1600	1000	1600	1800	1520	140	150	1280	1900	2623
1000×1700	1000	1700	1900	1620	140	150	1280	2000	2695
1000×1800	1000	1800	2000	1720	140	150	1280	2100	2767

A : 総高 W : 総幅

呼び名 H×B	寸法(mm)								参考重量 (kg)
	H	B	a	b	e	f	A	W	
1000×1900	1000	1900	2100	1820	140	150	1280	2200	2839
1000×2000	1000	2000	2200	1920	140	150	1280	2300	2911
1500×800	1500	800	1000	680	160	170	1800	1100	2864
1500×900	1500	900	1100	780	160	170	1800	1200	2945
1500×1000	1500	1000	1200	880	160	170	1800	1300	3027
1500×1100	1500	1100	1300	980	160	170	1800	1400	3108
1500×1200	1500	1200	1400	1080	160	170	1800	1500	3190
1500×1300	1500	1300	1500	1180	160	170	1800	1600	3271
1500×1400	1500	1400	1600	1280	160	170	1800	1700	3353
1500×1500	1500	1500	1700	1380	160	170	1800	1800	3434
1500×1600	1500	1600	1800	1480	160	170	1800	1900	3516
1500×1700	1500	1700	1900	1580	160	170	1800	2000	3597
1500×1800	1500	1800	2000	1680	160	170	1800	2100	3679
1500×1900	1500	1900	2100	1780	160	170	1800	2200	3760
1500×2000	1500	2000	2200	1880	160	170	1800	2300	3842
1800×1000	1800	1000	1200	856	172	160	2090	1300	3504
1800×1100	1800	1100	1300	956	172	160	2090	1400	3586
1800×1200	1800	1200	1400	1056	172	160	2090	1500	3667
1800×1300	1800	1300	1500	1156	172	160	2090	1600	3749
1800×1400	1800	1400	1600	1256	172	160	2090	1700	3830
1800×1500	1800	1500	1700	1356	172	160	2090	1800	3912
1800×1600	1800	1600	1800	1456	172	160	2090	1900	3993
1800×1700	1800	1700	1900	1556	172	160	2090	2000	4075
1800×1800	1800	1800	2000	1656	172	160	2090	2100	4156
1800×1900	1800	1900	2100	1756	172	160	2090	2200	4238
1800×2000	1800	2000	2200	1856	172	160	2090	2300	4319

- 注) 1. 内巾B寸法は1000mmピッチで上記範囲内で製作可能です。
 2. 構造計算書、配筋図等は御要望により提出致します。
 3. 蓋(スラブ)はB=2000まで対応致します。
 4. 長さ(L)寸法もL=1000~2000まで1mmピッチで製作可能です。
 5. 短切、斜切加工及び箱抜加工も御要望に応じます。
 6. 御要望により割付図も作成致します。
 7. 14t、25t荷重を用途に応じて、御使用になれます